

W23XXX00

8 Position IP65 Indoor/Outdoor Distribution Boxes Up To 8 Fibers

This IP65 distribution box offers the ability to terminate 8 fibres housed in a robust ABS enclosure for indoor and outdoor applications.

With the ability to use a full array of adaptor types offering a flexible solution to the end user, enabling them to incorporate a multi functional enclosure which allows easy access during installation or re-work with no disturbance of the existing cable or fibres.

In addition to the array of adaptors the enclosure also offers up to 8 exit points for patching cables and 1 standard cable entry point for loose tube, tight buffer, pre-terminated and steel tape armoured cable.

Each enclosure has integrated strength member tie positions and bend radius protection with the addition of a removable front door allowing for quick and easy installation.

- ▶ Up to 8 fibres
- ▶ Multiple adaptor options available
- ▶ 8 adaptor positions
- ▶ IP65
- ▶ Accepts loose tube, distribution and pre terminated cables
- ▶ Integrated bend radius protection
- ▶ Sealing glands for up to 8 cables
- ▶ Removable door for ease of installation
- ▶ ROHS, REACH SvHC
- ▶ Supplied with 12 heatshrink splice protectors
- ▶ Supplied with transit tubing
- ▶ Supplied with wall fixings and tie wraps

Technical Specification

IP Rated Distribution Box for Internal/External Use	
Height	210mm
Width	175mm
Depth	50mm
Net weight	0.44kg
Packed weight	0.52kg
Packaged dimensions	215mm x 182mm x 51mm
IP rating	IP65
Suitable for adaptor type	SC Simplex LC Duplex
Number of fibres	8
Number of ports	8
Cable entry 20mm	1
Cable exit 20mm	2
Material	ABS
Colour	White
Operating temperature	-40°C to +50°C
Designed in accordance with	TIA/EIA 568.C, ISO/IEC 11801, EN50173, IEC60304, IEC61754, EN297-1
Compliant to	RoHS, Reach/SVHC



Applications

- ▶ Data centres, premise installations, telecommunication networks
- ▶ Ethernet, Fibre Channel, ATM, LAN, MAN and WAN
- ▶ Data communication and telecommunication networks
- ▶ Indoor / outdoor applications

