



RG6-60FBR-M

RG-6 Flooded Coaxial Cable 60% Braid, UL Listed, 3 GHz



These cables are available in:

- 1000' reel

The Thor Digital RG-6 coax cable is for distribution of both analog and digital television signals. It is ideally suited for Direct TV or Dishnet installations, antenna installations, Cable TV and other high frequency applications.

The cable features an 18 gauge copper clad steel center conductor, a gas expanded foamed polyethylene dielectric, a sealed APA laminated tape shield bonded to the dielectric, 60% aluminum braid shielding, and a protective UV resistant PVC outer jacket.



Ordering Information

RG-6 60% braid 1000 ft, Black **RG6-60: 6 R-M**

RG-6 Flooded Coaxial Cable 60% Braid, UL Listed, 3 GHz

Specifications

Braid Coverage	60%
Center Conductor	0.0403" 18 AWG copper clad steel
Dielectric	0.180" gas expanded foam
Sealed APA Tape	0.188"
Aluminum Braid	0.212" 34 AWG
Jacket PVC, Riser Rated, UV Resistant	0.273"
Ohms per 1000 ft DC Resistance	
Center Conductor	30.4
Outer Conductor	9.13
Loop	39.6
Nominal Capacitance	16.2 pF/Ft
Impedance	75 ± 3 Ohms
Velocity of Propagation	85% nominal

<i>Maximum Attenuation per 100 Ft</i>	
Frequency MHz	dB / 100 ft
5	0.58
55	1.50
187	2.85
211	3.05
400	4.15
500	4.66
750	5.65
860	6.10
1000	6.55
1200	7.35
1450	8.14
1750	8.91
2150	9.69
3000	11.70